

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

Kitchen Furniture, Appliance and Installation Quotation

22 August 2008

1

Pirton Ltd

Parkland Court, Holland Park, London Flat 16 Rev 4

Quote Ref: CDV23875 Rev 4 Reference Drawings Rev 2

Signature	Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

KITCHEN SPECIFICATION - Flat 16 Rev 4

KITCHEN SPECIFICATION

Range 1
Carcase F

Carcase Edge Front Colour Plinth Colour Plinth Height Visible Side Colour

Range 2

Carcase Edge
Front Colour
Handles
Plinth Colour
Plinth Height
Visible Side Colour

Furniture
Base Units
Wall Units
Tall Units
Overall Height

VH478

mineral beige (29) mineral beige (478) Aluminium Laminate (G95) 17 cm (170) mineral beige (L478)

LD741

high-gloss beige (10)
high-gloss beige (741)
Handle Strip Aluminium Anod. (GL01)
Aluminium Laminate (G95)
17 cm (170)
high-gloss beige (L741)

Poggenpohl 650mm N/A 2080mm 2250mm

KITCHEN FURNITURE

ltem	Hand	Description	Size
1	L.	Front filler for Base unit	107 x 584 x 665
2		650mm Support panel Plinth + return both sides in Shelf col. Lacquer	19 x 584 x 750
3		Front panel for fully integr. Dishwasher	600 x 584 x 650
4	L	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
5	R	780 x 20mm Visible Unit Side Lacquered Lacquer	20 x 780 x 564
6		Sink Base unit Segmento 2 Doors without Back wall, front above	1000 x 584 x 650
7		Bucket for waste-bin Z2582, 5 ltr. capacity	
8		Waste-bin 19 ltr. capacity, flat, compact model	
9		Base unit Segmento 2 Pull-outs 1 Drawer, front above	900 x 650 x 564
11		Mains element with connection cable England	
	Signa	ture Date	

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

		Connection cable	
12		2000mm	2000
13		Filler panels, beech for 58,4 cm depth	
14		Cutlery insert 40cm wide, beech for Drawers for 58,4 cm deep units	
15		Plate rack beech, for plate size 18-23cm	
16		Plate rack beech, for plate size 23-29cm	
17		Plate rack beech, for plate size 29-34cm	
18		hob/cooktop base unit Segmento 2 Pull-outs projected front only above Motion Drive Opening support for Drawers and Pull-outs 2 Drive units	1200 x 584 x 650
19		With Internal drawera and Internal pull-outs not possible	
20		Mains element with connection cable England Connection cable	
21		2000mm	2000
22		Side connection rail (pair) for 58,4 cm deep units for 18,3 cm high inserts	
23		Bin with 1 wooden cross rail 30x47,2x18,3cm	
24		Bin with 1 wooden cross divider 20x47,2x18,3cm	
25		Base unit Segmento 2 Pull-outs 1 Drawer, front above	900 x 650 x 564
27		Mains element with connection cable England Connection cable	
28		2000mm	2000
29		Filler panels, beech for 58,4 cm depth	
30		Chopping board beech with st. steel handles, 30cm	
31		Holder for 3 kitchen rolls, beech	
32		Knife holder 15cm wide, beech, for 5 knives	
33		Spice jar insert, stainless steel, 7,5cm wide, for 6 spice j	
34		Spice Jar Set Stainless Steel	
35		Spice Jar Set Stainless Steel	
36		Stainless steel spice jar	
37		Side connection rail (pair) for 58,4 cm deep units for 18,3 cm high inserts	
38		Bin with 1 wooden cross rail 30x47,2x18,3cm	
39		Bin with 1 wooden cross divider 20x47,2x18,3cm	
40	R	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
41	R	Door Segmento for Washing machine	600 x 668 x 20
42	L	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
43	R	Base unit Segmento 1 Door projected front above, 2 Shelves	200 x 584 x 650
44	R	Front filler for Base unit	50 x 584 x 665
		Aluminium spacing profile Segmento Silver colour anodised	
45		50mm x 3252mm x 10mm	3252 x 50 x 10
46		Aluminium spacing profile Segmento Silver colour anodised 50mm x 2300mm x 10mm	2300 x 50 x 10
47		1350 X X 34 high gloss lacquer, L2	2000 X 30 X 10
77/		1000 A A 04 mgm gloss lacquer, LZ	

IMPORTANT NOTICE – Please Read Our Standard Conditions Of Sale Overleaf Before Signing These documents. you should also read the schedule of goods and, if applicable, the scope of works within these documents before signing. If there is anything that you do not understand you should contact the branch manager for clarification. If these documents interpret your order with us correctly please sign each page and return one complete set to us within 7 days of the date printed at the top of this page.

Signature Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

48	ı	1300 x 600mm Dresser unit 1 Door 4 Shelves w. anchored fitti without Plinth	600 x 1300 x 334
	_		000 X 1300 X 334
49		push mechanism	
		90 x 600mm Plinth frame 9cm lamina Panel in shelf colour Int High-gloss	
50		lacquer measures are computed at the price of the next largest Plinth.	600 x 90 x 334
51		2080 X 50 X 19 high gloss lacquer, L2	
52		350mm Tall unit for Supplies 1 Front pull-out with basket	350 x 2080 x 564
53	L	600mm tall housing unit 1 Door, 2 Reces., 2 Pull-outs	600 x 2080 x 564
54	R	600mm Tall unit for Built-in Appliances 2 Doors, 1 Recess 5 Shelves	600 x 2080 x 564
55	R	600mm Tall unit for Built-in Appliances 1 Recess w. Door without drilling	600 x 2080 x 564
56		Extra charge for Handle	
57		2080mm Filler panel for Base unit flush carcase High-gloss lacquer	x 2080 x 20
58		327 X 684 X 19 high gloss lacquer, L2	
59		327 X 350 X 19 high gloss lacquer, L2	
60		327 X 600 X 19 high gloss lacquer, L2	
61		327 X 20 X 19 high gloss lacquer, L2	

APPLIANCES

Code	Description	Manufacturer
STDR01	Driver for flat LED (Max 6 LED Strips)	
STLINKS	Flexible link for LED Strip (Corner Strip)	
STLEDF24W	LED Flat Low Energy Strip (24 LED) White	
	Gaggenau 90cm Vario Gas Hob Natural Gas (20Mbar) Alu	
KG291-210	Controls Stainless Steel	Gaggenau
D0054 400	Gaggenau 60cm 200 Series Single Oven, Pyrolytic, LH	
BO251-130	Aluminium/Glass	Gaggenau
BS251-130	Gaggenau 60cm 200 Series Combination Steam Oven, Water Tank LH Aluminium/Glass	Gaggenau
	Gaggenau 60cm Wide, Fully Integrated Coffee Machine New	
CM210-130	Design Aluminium	Gaggenau
AW541-120	Gaggenau 120cm Wall Mounted Cooker Hood Aluminium	Gaggenau
	Gaggenau Ventilation Duct for Extraction 225M - 264M Aluminium	_
AD011-012	Lacquered	Gaggenau
KI38VV00GB	Siemens Built In Built In Fridge - 222 Litre Integrated	Siemens Built In
SE64E330GB	60cm fully Integrated dishwasher	
WDI1442GB	Siemens Built In Fully Integrated Washer Dryer Integrated	Siemens Built In

Signature	Date
-----------	------

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

SINKS & TAPS

Code	Description	Manufacturer
ISE45AS	In Sink Erator Waste Disposal Unit c/w BI Air Switch	In Sink Erator
	Franke Undermounted Sinks Kubus Stainless Steel Sink 55	0 x 400 Franke Undermounted
KBX11055	x 190mm Silk	Sinks
	Franke Undermounted Sinks Kubus Stainless Steel Sink 20	0 x 400 Franke Undermounted
KBX11020	x 150mm Silk	Sinks
HAN32841000	Hansgrohe Talis S Kitchen Mixer With Pull Out Spray Chron	ne Hansgrohe
PRO3-VAQ	Quooker Design	
	-	

WORKTOPS

Description

30mm Ceasar Stone 4350 - Mink

ACCESSORIES

Description Manufacturer

Motion drive opening support for drawers and pull-outs 2 Motion drive opening support for drawers and pull-outs 2 6mm Toughened Glass Hob Back Panel- Dulux OOYY65060 Colour Match

FITTING

B - Dry Fit and Connect Installation

- 1. Site dimensions will be taken prior to installation, with particular attention being taken to the correct location of services.
- 2. We reserve the right to delay fitting if the kitchen area is not ready, or there are other trades working the area.

First Fix Stage

- 3. Fit all base, wall and tall units to previously prepared walls (by others)
- 4. Scribe and fit all base, tall and wall fillers
- 5. Noggin heights will be supplied where dry lined or cavity walls are applicable
- 6. Cut and fit all laminate and wooden worktops
- 7. Cut out for sink and hob (laminate and wooden worktops only)
- 8. Fit sink support panel for solid worktops and sink cut-out

Signature Date	
----------------	--

IMPORTANT NOTICE – Please Read Our Standard Conditions Of Sale Overleaf Before Signing These documents, you should also read the schedule of goods and, if applicable, the scope of works within these documents before signing, if there is anything that you do not understand you should contact the branch manager for clarification, if these documents interpret your order with us correctly please sign each page and return one complete set to us within 7 days of the date printed at the top of this page.

Nicholas Anthony Limited Registered in England No. 1653754 VAT No. 386 7365 03 Registered Office 43-45 London Road, Lexden, Colchester, Essex CO3 5AJ

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

Second Fix Stage

- 9. A template is made for all solid worktops prior to fitting, with the exception of steel worktops.
- Approximately five working days after the worktop template has been taken, we will
 return to site to fit the worktops and sinks.
- 11. Templates can then be taken for the glass back-panels. Approximately 5 working days from that date the glass will be fitted.

Third Fix Stage


- 12. All electrical appliances, gas appliances, lights, sinks, taps and waste disposal units (where supplied) are fitted in the appropriate spaces and where applicable integrated doors fitted to them.
- 13. Connection to the adjacent supplies can only be made once the services have been tested and certified.
- 14. Once the kitchen is complete, it will be wrapped and protected and at this stage handed over to the contractor.
- 15. Our specification does include a general clean, but not a full and final clean.
- 16. No mastic will be applied to joints, except to the rear of the worktop and all base, tall and wall fillers.
- 17. It is not recommended to mastic the plinth and it not part of the installation price.

Fourth Stage - Testing And Commissioning

- Once the services have been tested and certified, we will connect all appliances to the appropriate adjacent point.
- 19. Each connection and appliance will then be tested for function and reliability.
- 20. A test certificate will then be issued.

Signature Date	

6



Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

> Kitchen Furniture, Appliance and Installation Quotation

> > 22 August 2008

1

Pirton Ltd

Parkland Court, Holland Park, London Flat 18 Rev 4

Quote Ref: CDV23893 Rev 4 Reference Drawings Rev 2

Signature	Date
wightered o creatives and creatives and continues and continues and creatives and continues and cont	240

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

KITCHEN SPECIFICATION - Flat 18 Rev 4

KITCHEN SPECIFICATION

Range 1
Carcase Edge
Front Colour
Plinth Colour
Plinth Height
Visible Side Colour

VH478
mineral beige (29)
mineral beige (478)
Aluminium Laminate (G95)
17 cm (170)
mineral beige (L478)

Range 2
Carcase Edge
Front Colour
Handles
Plinth Colour
Plinth Height
Visible Side Colour

LD741
high-gloss beige (10)
high-gloss beige (741)
Handle Strip Aluminium Anod. (GL01)
Aluminium Laminate (G95)
17 cm (170)
high-gloss beige (L741)

Furniture
Base Units
Wall Units
Tall Units
Overall Height

Poggenpohl 650mm 910mm 2080mm 2250mm

KITCHEN FURNITURE

ltem	Hand	Description	Size
1		870 X 634 X 19 high gloss lacquer, L2	
50		634 X 327 X 19 high gloss lacquer, L2	
51		600 X 327 X 19 high gloss lacquer, L2	
52		130 X 327 X 19 high gloss lacquer, L2	
58		1600 X 354 X 19 high gloss lacquer, L2	
59		354 X 100 X 19 high gloss lacquer, L2	
60		1600 X 100 X 19 high gloss lacquer, L2	
2	R	780 x 20mm Visible Unit Side Lacquered Lacquer	20 x 780 x 564
3		Front panel for fully integr. Dishwasher	600 x 584 x 650
4	L	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
	Sign	ature	Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

5		Sink Base unit Segmento 2 Doors without Back wall, front above	1000 x 584 x 650
6		Bucket for waste-bin Z2582, 5 ltr. capacity	
7		Waste-bin 19 ltr. capacity, flat, compact model	. 0.50 00
8		Angle filler, 90 degree angle	x 650 x 20
9		650mm Support panel Plinth + return both sides in Shelf col. Lacquer	19 x 584 x 750
10	L	Door Segmento for Washing machine	600 x 668 x 20
11	L	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
	L	Base unit Segmento 2 Pull-outs 1 Drawer, front above	600 x 584 x 650
12		Motion Drive Opening support for Drawers and Pull-outs 2 Drive	000 x 364 x 030
13		units With Internal drawera and Internal pull-outs not possible	
14		Mains element with connection cable England	
15		Connection cable 2000mm	2000
16		·	2000
17		Filler panels, beech for 58,4 cm depth Cutlery insert 50cm wide, beech for Drawers for 58,4 cm deep units	
18		·	
		Bin with 1 wooden cross rail 30x47,2x18,3cm Bin with 1 wooden cross divider 20x47,2x18,3cm	
19		Side connection rail (pair) for 58,4 cm deep units for 18,3 cm high	
20		inserts	
_0		hob/cooktop base unit Segmento 2 Pull-outs projected front only	
21		above	1200 x 584 x 650
22		Motion Drive Opening support for Drawers and Pull-outs 2 Drive units With Internal drawera and Internal pull-outs not possible	
23		Mains element with connection cable England	
		Connection cable	
24		2000mm	2000
25		Plate rack beech, for plate size 18-23cm	
26		Plate rack beech, for plate size 23-29cm	
27		Plate rack beech, for plate size 29-34cm	
28		Base unit Segmento 2 Pull-outs 1 Drawer, front above	600 x 584 x 650
30		Mains element with connection cable England Connection cable	
31		2000mm	2000
32		Filler panels, beech for 58,4 cm depth	
33		Chopping board beech with st. steel handles, 30cm	
34		Knife holder 10cm wide, beech, for 3 knives	
35		Spice jar insert, stainless steel, 10cm wide, for 6 spice ja	
36		Spice Jar Set Stainless Steel	
37		Spice Jar Set Stainless Steel	
38		Stainless steel spice jar	
39		Side connection rail (pair) for 58,4 cm deep units for 18,3 cm high	
	Sigr	nature Date	

IMPORTANT NOTICE – Please Read Our Standard Conditions Of Sale Overleaf Before Signing These documents. you should also read the schedule of goods and, if applicable, the scope of works within these documents before signing. If there is anything that you do not understand you should contact the branch manager for clarification. If these documents interpret your order with us correctly please sign each page and return one complete set to us within 7 days of the date printed at the top of this page.

3

Nicholas A

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

		. == 1 0 = 0 1 0 = 0 0 0 0 7 1 7 1 1 1 0 = 0 0 0 0 0 7	
		inserts	
40		Bin with 1 wooden cross rail 30x47,2x18,3cm	
41		Bin with 1 wooden cross divider 20x47,2x18,3cm	
42	L	Carcase Special depth for Base units and shelves	
43	L	2210mm Visible Unit Side highgloss lacquered Lacquer High Gloss	660 x x 2210
44		Carcase Special depth for Base units and shelves	
		600mm Tall unit for Built-in Appliances 1 Recess w. Door without	
45	L	drilling	600 x 2080 x 564
46	R	600mm tall housing unit 1 Door, 2 Reces., 2 Pull-outs	600 x 2080 x 564
47	R	600mm Tall unit for Built-in Appliances 2 Doors, 1 Recess 5 Shelves	600 x 2080 x 564
48		Extra charge for Handle	
49	R	2080mm Front filler for tall unit	x 2080 x 20
50		634 X 327 X 19 high gloss lacquer, L2	
51		600 X 327 X 19 high gloss lacquer, L2	
52		130 X 327 X 19 high gloss lacquer, L2	
53	L	910mm Visible Unit Side highgloss lacquered Lacquer High Gloss	20 x 910 x 334
54	L	910 x 600mm Wall unit 1 door, 3 shelves	600 x 910 x 334
55		910 x 1000mm Wall unit 2 Doors, 3 Shelves	1000 x 910 x 334
56	R	780mm Visible Unit Side highgloss lacquered Lacquer High Gloss	20 x 780 x 334
57		push mechanism	
58		1600 X 354 X 19 high gloss lacquer, L2	
59		354 X 100 X 19 high gloss lacquer, L2	
60		1600 X 100 X 19 high gloss lacquer, L2	
61	L	Surface mitre 90° Segmento horizontal	
00		Aluminium spacing profile Segmento Silver colour anodised	
62		50mm x 3050mm x 10mm	3050 x 50 x 10
63		Aluminium spacing profile Segmento Silver colour anodised 50mm x 1700mm x 10mm	1700 x 50 x 10
64		Halogen light 10 W, chrome-coloured	84 x 84
65		Halogen light 10 W, chrome-coloured	84 x 84
66		Drilling for Halogen lamp in Under shelf and Boards	04 X 04
00		Transformer 60 VA for 3x10 Watt mit 300cm Connect. cable for high	
67		volt- distributor	
		High-voltage distribution for Z9450 w. Mains connection cable with	
68		Euro socket	

APPLIANCES

4

Code	Description	Manufacturer
STDR01	Driver for flat LED (Max 6 LED Strips)	
STLINKS	Flexible link for LED Strip (Corner Strip)	
Signa	ature	Date

Code

Description

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

STLEDF24W	LED Flat Low Energy Strip (24 LED) White	
	Gaggenau 90cm Vario Gas Hob Natural Gas (20Mbar) Alu	
KG291-210	Controls Stainless Steel	Gaggenau
	Gaggenau 60cm 200 Series Single Oven, Pyrolytic, RH	
BO250-130	Aluminium/Glass	Gaggenau
	Gaggenau 60cm 200 Series Combination Steam Oven, Water	
BS250-130	Tank RH Aluminium/Glass	Gaggenau
	Gaggenau 60cm Wide, Fully Integrated Coffee Machine New	
CM210-130	Design Aluminium	Gaggenau
AW541-120	Gaggenau 120cm Wall Mounted Cooker Hood Aluminium	Gaggenau
	Gaggenau Ventilation Duct for Extraction 225M - 264M Aluminium	
AD011-012	Lacquered	Gaggenau
KI38VV00GB	Siemens Built In Built In Fridge - 222 Litre Integrated	Siemens Built In
SE64E330GB	60cm fully Integrated dishwasher	
WDI1442GB	Siemens Built In Fully Integrated Washer Dryer Integrated	Siemens Built In
	, , , , , , , , , , , , , , , , , , , ,	

SINKS & TAPS

Code	Description	Manufacturer
ISE45AS	In Sink Erator Waste Disposal Unit c/w BI Air Switch	In Sink Erator
KBX11055	Franke Undermounted Sinks Kubus Stainless Steel Sink 550 x 4 x 190mm Silk	00 Franke Undermounted Sinks
KBX11020	Franke Undermounted Sinks Kubus Stainless Steel Sink 200 x 4 x 150mm Silk	00 Franke Undermounted Sinks
HAN32841000	Hansgrohe Talis S Kitchen Mixer With Pull Out Spray Chrome	Hansgrohe
PRO3-VAQ	Quooker Design	

WORKTOPS

Description

30mm Ceasar Stone 4350-Mink

ACCESSORIES

5

Description Manufacturer

Motion drive opening support for drawers and pull-outs 2 6mm Toughened Glass Back Panels Dulux-OOYY65060 colour match

Signature Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

FITTING

B - Dry Fit and Connect Installation

- 1. Site dimensions will be taken prior to installation, with particular attention being taken to the correct location of services.
- We reserve the right to delay fitting if the kitchen area is not ready, or there are other trades working the area.

First Fix Stage

- 3. Fit all base, wall and tall units to previously prepared walls (by others)
- 4. Scribe and fit all base, tall and wall fillers
- 5. Noggin heights will be supplied where dry lined or cavity walls are applicable
- 6. Cut and fit all laminate and wooden worktops
- 7. Cut out for sink and hob (laminate and wooden worktops only)
- 8. Fit sink support panel for solid worktops and sink cut-out


Second Fix Stage

- 9. A template is made for all solid worktops prior to fitting, with the exception of steel worktops.
- 10. Approximately five working days after the worktop template has been taken, we will return to site to fit the worktops and sinks.
- 11. Templates can then be taken for the glass back-panels. Approximately 5 working days from that date the glass will be fitted.

Third Fix Stage

- 12. All electrical appliances, gas appliances, lights, sinks, taps and waste disposal units (where supplied) are fitted in the appropriate spaces and where applicable integrated doors fitted to them.
- Connection to the adjacent supplies can only be made once the services have been tested and certified.
- 14. Once the kitchen is complete, it will be wrapped and protected and at this stage handed over to the contractor.
- 15. Our specification does include a general clean, but not a full and final clean.
- 16. No mastic will be applied to joints, except to the rear of the worktop and all base, tall and wall fillers.

17. It is not recommended to mastic the plinth and it not pa	rt of the installation price.
Signature	Date




Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

Fourth Stage - Testing And Commissioning

- 18. Once the services have been tested and certified, we will connect all appliances to the appropriate adjacent point.
- 19. Each connection and appliance will then be tested for function and reliability.
- 20. A test certificate will then be issued.

7



Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

> Kitchen Furniture, Appliance and Installation Quotation

> > 22 August 2008

1

Pirton Ltd

Parkland Court, Holland Park, London Penthouse Opt A Rev 3

Quote Ref: CDV23899 Rev 3 Reference Drawings Rev 1

Signature	Doto	
olonanie.	L)ate	

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

KITCHEN SPECIFICATION - Penthouse Opt A Rev 3

KITCHEN SPECIFICATION

Range 1
Carcase Edge
Front Colour 1
Plinth Colour
Plinth Height
Visible Side Colour

VH478 mineral beige (29) mineral beige (478) Aluminium Laminate (G95) 17 cm (170) mineral beige (L478)

Range 2
Carcase Edge
Front Colour 1
Handles
Plinth Colour
Plinth Height
Visible Side Colour

GA482
high-gloss beige (10)
Cubanit High Gloss (482)
Handle Strip Aluminium Anod. (GL01)
Aluminium Laminate (G95)
17 cm (170)
mineral beige (L478)

Furniture
Base Units
Wall Units
Tall Units
Overall Height

Poggenpohl 650mm N/A 2210mm 2307mm

KITCHEN FURNITURE

ltem	Hand	Description	Size
1		2304 X 100 X 19 high gloss lacquer, L2	
2		2304 X 638 X 19 high gloss lacquer, L2	
3		1830X 200 X 19 high gloss lacquer, L2	
4		1830 X 173 X 19 high gloss lacquer, L2	
5		2300 X 400 X 19 high gloss lacquer, L2	
		97 x 4000mm Plinth panel, aluminium-lamella	
6		97mm x 2300mm x 16mm	2300 x 97 x 16
7		225mm Post for Ventilation grill- Plinth panel	x 225 x 16
8	L	2210mm Visible Unit Side highgloss lacquered Lacquer High Gloss	20 x 2210 x 660
9	L	Carcase Special depth for Base units and shelves	
	Sign	ature Date	*************

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40 41		TEL: 020 7620 3636 / FAX: 020 7620 3637	
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40	L	500mm Tall unit for Crockery 1 Door, 6 Shelves	500 x 2080 x 564
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40	L	600mm tall housing unit 1 Door, 2 Reces., 2 Pull-outs	600 x 2080 x 564
14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40	R	600mm tall housing unit 1 Door, 2 Reces., 2 Pull-outs	600 x 2080 x 564
15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40	R	500mm Tall unit for Crockery 1 Door, 6 Shelves	500 x 2080 x 564
16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39 40		350mm Tall unit for Supplies 1 Front pull-out with basket	350 x 2210 x 564
17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		Extra charge for Handle	
18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39	R	2210mm Front filler for tall unit	x 2210 x 20
18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		97 x 4000mm Plinth panel, aluminium-lamella	
19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		97mm x 2653mm x 16mm	2653 x 97 x 16
20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		225mm Post for Ventilation grill- Plinth panel	x 225 x 16
21 22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39	L	Front filler for Base unit	50 x 584 x 665
22 23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		Sink Base unit Segmento 2 Doors without Back wall, front above	1000 x 584 x 650
23 24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		Bucket for waste-bin Z2582, 5 ltr. capacity	
24 25 26 27 28 29 31 32 33 34 35 36 37 38 39		Waste-bin 19 ltr. capacity, flat, compact model	
25 26 27 28 29 31 32 33 34 35 36 37 38 39	R	780 x 20mm Visible Unit Side Lacquered Lacquer	580 x x 780
26 27 28 29 31 32 33 34 35 36 37 38 39		Front panel for fully integr. Dishwasher	600 x 584 x 650
27 28 29 31 32 33 34 35 36 37 38 39	L	780 x 20mm Visible Unit Side Lacquered Lacquer	20 x 780 x 564
27 28 29 31 32 33 34 35 36 37 38 39		hob/cooktop base unit Segmento 2 Pull-outs projected front only	1000 501 050
28 29 31 32 33 34 35 36 37 38 39		above	1200 x 584 x 650
29 31 32 33 34 35 36 37 38 39		Motion Drive Opening support for Drawers and Pull-outs 2 Drive units With Internal drawera and Internal pull-outs not possible	
31 32 33 34 35 36 37 38 39		Mains element with connection cable England	
31 32 33 34 35 36 37 38 39		Connection cable	
32 33 34 35 36 37 38 39		2000mm	2000
33 34 35 36 37 38 39		Plate rack beech, for plate size 18-23cm	
34 35 36 37 38 39		Plate rack beech, for plate size 23-29cm	
35 36 37 38 39 40		Plate rack beech, for plate size 29-34cm	
36 37 38 39 40		Base unit Segmento 2 Pull-outs 1 Drawer, front above	500 x 650 x 564
36 37 38 39 40		Motion Drive Opening support for Drawers and Pull-outs 2 Drive	
37 38 39 40		units With Internal drawera and Internal pull-outs not possible	
38 39 40		Mains element with connection cable England	
38 39 40		Connection cable 2000mm	2000
39 40		Filler panels, beech for 58,4 cm depth	2000
40		Cutlery insert 40cm wide, beech for Drawers for 58,4 cm deep units	
		Side connection rail (pair) for 58,4 cm deep units for 18,3 cm high	
		inserts	
		Bin with 1 wooden cross divider 20x47,2x18,3cm	
42		1018 X 650 X 19 high gloss lacquer, L2	
43	R	Balancing element st.steel 15cm wide for Island Island SX-Colours	150
44	L	Front filler for Base unit	x 650 x 20
-			

IMPORTANT NOTICE – Please Read Our Standard Conditions Of Sale Overleaf Before Signing These documents. you should also read the schedule of goods and, if applicable, the scope of works within these documents before signing, if there is anything that you do not understand you should contact the branch manager for clarification, if these documents interpret your order with us correctly please sign each page and return one complete set to us within 7 days of the date printed at the top of this page.

Signature Date

3

Nicholas A

45

46

47

48

49

50

52

53

55

56

57

L

50mm x 3400mm x 10mm

50mm x 980mm x 10mm

50mm x 3400mm x 10mm

External mitre 90° Segmento

Aluminium spacing profile Segmento Silver colour anodised

Aluminium spacing profile Segmento Silver colour anodised

Linton House, 164 Union Street, London, SE1 0LH	
TEL: 020 7620 3636 / FAX: 020 7620 3637	
Base unit Segmento 1 Door, 2 Shelves, projected front above	500 x 650 x 334
Base unit Segmento 2 Doors projected front above, 2 Shelves	1000 x 354 x 650
Carcase Special depth for Base units and shelves	
Base unit Segmento 2 Doors projected front above, 2 Shelves	1000 x 354 x 650
Carcase Special depth for Base units and shelves	
Base unit Segmento 2 Doors, 2 Shelves, projected front above	800 x 650 x 334
Front filler for Base unit	50 x 354 x 665
Aluminium spacing profile Segmento Silver colour anodised	

APPLIANCES

3400 x 50 x 10

980 x 50 x 10

3400 x 50 x 10

Code	Description	Manufacturer
STDR01	Driver for flat LED (Max 6 LED Strips)	
STLINKS	Flexible link for LED Strip (Corner Strip)	
STLEDF24W	LED Flat Low Energy Strip (24 LED) White	
	Gaggenau 90cm Vario Gas Hob Natural Gas (20Mbar) Alu	
KG291-210	Controls Stainless Steel	Gaggenau
	Gaggenau 60cm 200 Series Single Oven, Pyrolytic, LH	·
BO251-130	Aluminium/Glass	Gaggenau
	Gaggenau 60cm 200 Series Single Oven, Pyrolytic, RH	
BO250-130	Aluminium/Glass	Gaggenau
D0051 (00	Gaggenau 60cm 200 Series Combination Steam Oven, Water	_
BS251-130	Tank LH Aluminium/Glass	Gaggenau
011040 400	Gaggenau 60cm Wide, Fully Integrated Coffee Machine New	^
CM210-130	Design Aluminium	Gaggenau
AI541-100	Gaggenau 100cm Island Cooker Hood Aluminium	Gaggenau
	Gaggenau Ventilation Duct for Extraction 241M - 273M Lacquered	
AD011-026	Aluminium	Gaggenau
DW404.000	Gaggenau 61 x 213cm Vario Wine Storage Unit, with 10 Shelves	•
RW464-260	Integrated	Gaggenau
DA 404 CO4	Gaggenau Door Frame 61cm Wine with Handle LH (for RW464)	0
RA421-631	Aluminium	Gaggenau
RA461-113	Gaggenau Vent Grill Left, 457cm Wine (for RW414) Stainless Steel	Coggonou
KA401-113		Gaggenau
RC462-200	Gaggenau 61 x 213cm Vario Refrigerator, RH Hinge Reversible Integrated	Gaggapau
RA421-630	•	Gaggenau
MA421-03U	Gaggenau Door Panels 61cm with Handle (for Rf461 And RC462)	Gaggenau
Signatur	e Date	

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

	Aluminium	
	Gaggenau Vent Grill Left, 61cm Fridge & Wine (for RC462 And	_
RA461-613	RW464) Stainless Steel	Gaggenau
	Gaggenau 61 x 213cm Integrated Freezer with Dispenser Right	
RF463-200	Hinge Integrated	Gaggenau
	Gaggenau Door Panel 61cm with Dispenser with Handle (for	
RA422-630	RF463) Aluminium	Gaggenau
	Gaggenau Vent Grill Right, 61cm Freezer with Dispenser (for	
RA461-614	RF463) Stainless Steel	Gaggenau
RA460-011	Gaggenau Heating Element Kit	Gaggenau
RA460-000	Gaggenau Side By Side Installation Kit	Gaggenau
RA460-030	Gaggenau Connecting Element for Vertically Split Fronts	Gaggenau

SINKS & TAPS

Code	Description	Manufacturer
ISE45AS	In Sink Erator Waste Disposal Unit c/w Bl Air Switch	In Sink Erator
	Franke Undermounted Sinks Kubus Stainless Steel Sink 550	x 400 Franke Undermounted
KBX11055	x 190mm Silk	Sinks
	Franke Undermounted Sinks Kubus Stainless Steel Sink 200	x 400 Franke Undermounted
KBX11020	x 150mm Silk	Sinks
3382687506	Tara Ultra Platinum Matt	Dorn Bracht
2771997006	Pullout Spray Platinum Matt	Dorn Bracht
PRO3-VAQ	Quooker Design	Quooker

WORKTOPS

Description

30mm Caesar stone 4141-Misty Carrara With Polished Sink Cut Outs

ACCESSORIES

FITTING

5

B - Dry Fit and Connect Installation

- 1. Site dimensions will be taken prior to installation, with particular attention being taken to the correct location of services.
- We reserve the right to delay fitting if the kitchen area is not ready, or there are other trades working the area.

Signature Date



Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

First Fix Stage

- 3. Fit all base, wall and tall units to previously prepared walls (by others)
- 4. Scribe and fit all base, tall and wall fillers
- 5. Noggin heights will be supplied where dry lined or cavity walls are applicable
- 6. Cut and fit all laminate and wooden worktops
- 7. Cut out for sink and hob (laminate and wooden worktops only)
- 8. Fit sink support panel for solid worktops and sink cut-out

Second Fix Stage

- 9. A template is made for all solid worktops prior to fitting, with the exception of steel worktops.
- Approximately five working days after the worktop template has been taken, we will
 return to site to fit the worktops and sinks.
- Templates can then be taken for the glass back-panels. Approximately 5 working days from that date the glass will be fitted.

Third Fix Stage


- 12. All electrical appliances, gas appliances, lights, sinks, taps and waste disposal units (where supplied) are fitted in the appropriate spaces and where applicable integrated doors fitted to them.
- 13. Connection to the adjacent supplies can only be made once the services have been tested and certified.
- Once the kitchen is complete, it will be wrapped and protected and at this stage handed over to the contractor.
- 15. Our specification does include a general clean, but not a full and final clean.
- No mastic will be applied to joints, except to the rear of the worktop and all base, tall and wall fillers.
- 17. It is not recommended to mastic the plinth and it not part of the installation price.

Fourth Stage - Testing And Commissioning

- Once the services have been tested and certified, we will connect all appliances to the appropriate adjacent point.
- 19. Each connection and appliance will then be tested for function and reliability.
- 20. A test certificate will then be issued.

Signature	Date

6



Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

Kitchen Furniture, Appliance and Installation Quotation

22 July 2008

1

Pirton Ltd

Parkland Court, Holland Park, London
Penthouse Utility Rev 2

Quote Ref: CDV23910 Rev 2 Reference Drawings Rev 1

Signature	Data
Signature	Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

KITCHEN SPECIFICATION - Penthouse Utility Rev 2

KITCHEN SPECIFICATION

Range 1
Carcase Edge
Front Colour
Handles
Plinth Colour
Plinth Height
Visible Side Colour

LD740 White Hi-Gloss
White High Gloss (06)
White High Gloss (740)
Handle Strip Aluminium Anod. (GL01)
Aluminium Laminate (G95)
21 cm (210)
White High Gloss (L13)

Furniture
Base Units
Wall Units
Tall Units
Overall Height

Poggenpohl 650mm 520mm 2210mm 2420mm

KITCHEN FURNITURE

ltem	Hand	Description	Size
1		Carcase Special depth for Base units and shelves	
2	L	2210mm Visible Unit Side highgloss lacquered Lacquer High Gloss	20 x 2210 x 660
3		350mm Tall unit for Supplies 1 Front pull-out with basket	350 x 2210 x 564
4	R	2210mm Front filler for tall unit	x 2210 x 20
5	L	650mm Front filler for Base unit	88 x 584 x 650
6		900mm Sink Base unit 2 Doors, without Back wall	900 x 584 x 650
7	R	650mm Front filler for Base unit	88 x 584 x 650
8	L	520mm Front filler for Wall units	x 520 x 334
9	L	520 x 600mm Wall unit 1 door, 1 shelf	600 x 520 x 334
10		Carcase Special depth for Base units and shelves	
11		1076 X 390 X 19 high gloss lacquer, L2	
		26 x 2600mm Wall shelf High-gloss lacquer	
12		26mm x 1076mm x 185mm	1076 x 26 x 185
13		Rear fitting for Wall fixing	
14		Extra charge for Handle	
15		push mechanism	

IMPORTANT NOTICE – Please Read Our Standard Conditions Of Sale Overleaf Before Signing These documents, you should also read the schedule of goods and, if applicable, the scope of works within these documents before signing, if there is anything that you do not understand you should contact the branch manager for clarification, if these documents interpret your order with us correctly please sign each page and return one complete set to us within 7 days of the date printed at the top of this page.

Signature Date

Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

APPLIANCES

Code	Description	Manufacturer
•	Miele Freestanding 2008 Freestanding Washing Machine, Front	
W1613	Loading, 6kg Slimline White	Miele Freestanding 2008
WTV414	Stacking kit with shelf	Miele Freestanding 2008
	Miele Freestanding 2008 Freestanding Tumble Dryer, Condenser,	<u>-</u>
T7644C	6kg White	Miele Freestanding 2008
		SINKS & TAPS
Code	Description	Manufacturer
OAX110	Single Bowl Undermount St/Steel 710mm Wide	Franke Undermounted Sink

WORKTOPS

Franke Monobloc Taps

Description

30mm Caesar Stone 2141 With 1 x Polished Sink Cut Out

FUJIPONOZZLE Franke Monobloc Taps Fuji Pull Out Nozzle Tap Chrome

ACCESSORIES

FITTING

3

B - Dry Fit and Connect Installation


- 1. Site dimensions will be taken prior to installation, with particular attention being taken to the correct location of services.
- 2. We reserve the right to delay fitting if the kitchen area is not ready, or there are other trades working the area.

First Fix Stage

- 3. Fit all base, wall and tall units to previously prepared walls (by others)
- 4. Scribe and fit all base, tall and wall fillers
- 5. Noggin heights will be supplied where dry lined or cavity walls are applicable
- 6. Cut and fit all laminate and wooden worktops
- 7. Cut out for sink and hob (laminate and wooden worktops only)
- 8. Fit sink support panel for solid worktops and sink cut-out

Second Fix Stage

Signature	Date



Linton House, 164 Union Street, London, SE1 0LH TEL: 020 7620 3636 / FAX: 020 7620 3637

- A template is made for all solid worktops prior to fitting, with the exception of steel worktops.
- 10. Approximately five working days after the worktop template has been taken, we will return to site to fit the worktops and sinks.
- 11. Templates can then be taken for the glass back-panels. Approximately 5 working days from that date the glass will be fitted.

Third Fix Stage

- 12. All electrical appliances, gas appliances, lights, sinks, taps and waste disposal units (where supplied) are fitted in the appropriate spaces and where applicable integrated doors fitted to them.
- Connection to the adjacent supplies can only be made once the services have been tested and certified.
- Once the kitchen is complete, it will be wrapped and protected and at this stage handed over to the contractor.
- 15. Our specification does include a general clean, but not a full and final clean.
- 16. No mastic will be applied to joints, except to the rear of the worktop and all base, tall and wall fillers.
- 17. It is not recommended to mastic the plinth and it not part of the installation price.

Fourth Stage - Testing And Commissioning

- 18. Once the services have been tested and certified, we will connect all appliances to the appropriate adjacent point.
- 19. Each connection and appliance will then be tested for function and reliability.
- 20. A test certificate will then be issued.

Signature	Date